Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

1. Identification	
Product Name: Product identifier: Relevant identified uses of the substance or mixture and uses advised against:	Max Vinyl Dressing 32-5 Automotive detailing
Other means of identification Chemical Manufacturer / Importer / Distributor:	FinishFirst Auto Products 12511 NE Fourth Plain Rd Vancouver WA 98682 Phone: 800-998-9208
Emergency telephone number:	1-800-535-5053

## 2. Hazard(s) identification

### Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:	
GHS Classification:	Germ Cell Mutagenicity Category 1B
	Carcinogenicity Category 1B
	Flammable Liquid Category 2
GHS Signal Word:	Danger
GHS Hazard Statements:	Highly flammable liquid and vapour.
	May cause genetic defects
	May cause cancer.
GHS Precautionary Statements:	
Safety Precautions:	Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
	Keep container tightly closed.
	Ground/bond container and receiving equipment.
	Use explosion-proof electrical/ventilating/lighting equipment.
	Use only non-sparking tools.

Page 1 of 7

	Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective equipment as required.
First Aid Measures:	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
	Rinse skin with water/shower.
	IF exposed or concerned: Get medical advice/attention.
	In case of fire: Use for extinction.
Storage:	Keep container tightly closed.
	Store in a well-ventilated place. Keep cool.
	Store locked up.
Disposal:	Dispose of contents/container in accordance with
	local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise classified:	No data available

### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Solvent Naphtha (petroleum), light Aliphatic	64742-89-8	60 - 90

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures	
Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of
	the level of hazard. Flush the affected eye for at least twenty
	minutes. Tilt the head to prevent chemical from transferring to the
	uncontaminated eye. Seek medical advice after flushing.
Skin Contact:	Wash with soap and water.
Inhalation:	This material does not present a hazard if inhaled. Remove
	individual to fresh air after an airborne exposure if any symptoms
	develop, as a precautionary measure.
Ingestion:	No hazard in normal industrial use. Do not induce vomiting. Seek
5	medical attention if symptoms develop. Provide medical care
	provider with this MSDS.
Immediate medical attention	No additional first aid information available
and special treatment needed,:	

Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

## 5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agents. Water spray or fog may also be effective for extinguishing if swept across the base of the fire. Water can also be used to absorb heat and keep exposed material from being damaged by fire. Dry chemical Water may be ineffective in fire fighting due the material (or component(s) low flash point, low solvent density, and limited miscibility with water.
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Vapors may be ignited by heat, sparks, flames or other sources of ignition at or above the low flash point giving rise to a Class B fire. Vapors are heavier than air and may travel to a source of ignition and flash back Mists or sprays may be flammable below its normal flash point. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Material will burn in a fire.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide, Formaldehyde, Silicon dioxide
Special protective equipment and precautions for fire- fighters:	Do not enter fire area without proper protection including self- contained toxic breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use water spray/fog for cooling. Flammable component(s) of this material may be lighter than water and burn while floating on the surface. Use methods for the surrounding fire.

## 6. Accidental release measures

Personal precautions, protective equipment and	No adverse health affects expected from the clean-up of spilled material. Follow personal protective equipment recommendations
emergency procedures:	found in Section VIII of this MSDS.
Methods and material for	No special spill clean-up considerations. Collect and discard in
containment and cleaning up:	regular trash.

Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

# 7. Handling and storage

Precautions for safe handling:	No special handling instructions due to toxicity. Use spark-proof
	tools and explosion-proof equipment
Conditions for safe storage:	Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Keep away
	from sources of ignition
Materials to Avoid/Chemical Incompatibility::	Strong oxidizing agents Strong acids Strong alkalies

## 8. Exposure controls/personal protection

### Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			
Appropriate engineering controls.:	No exposure limits exist for the constituents of this product. No engineering controls are likely to be required to maintain operator comfort under normal conditions of use. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits		
Eye Protection:	Wear safety glasses when handling this product. Wear goggles and a Face shield		
Skin Protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where use can result in skin contact, practice good personal hygiene. Use of protective coveralls and long sleeves is recommended.		
Respiratory Protection:	No respiratory protection required under normal conditions of use. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use		
Other Protective Equipment:	Wear goggles and a Face	e shield Where use can result i ersonal hygiene. Use of protec	
General Hygiene Conditions:	0	d explosion-proof equipment	

Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

### 9. Physical and chemical properties

uid e drocarbon data available data available
data available data available data available

## 10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Conditions to avoid:	None known. Contamination.
Incompatible materials:	Strong oxidizing agents Strong acids Strong alkalies
Hazardous decomposition	Carbon dioxide Carbon monoxide Formaldehyde Silicon dioxide
products:	

### 11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):	Inhalation, Ingestion, Skin contact, Eye contact		
Immediate (Acute) Health Effects by Route of Exposure:			
Inhalation Irritation:	No hazard in normal industrial use.		
Skin Contact:	No hazard in normal industrial use.		
Skin Absorption:	No absorption hazard in normal industrial use.		
Eye Contact:	Can cause minor irritation, tearing and reddening.		
Ingestion Irritation:	No hazard in normal industrial use.		

Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

#### Ingestion Toxicity:

Long-Term (Chronic) Health Effe	<u>cts:</u>
Carcinogenicity:	May cause cancer.
Reproductive and	No data available to indicate product or any components present at greater than
Developmental Toxicity:	0.1% may cause birth defects.
Mutagenicity:	May cause genetic defects
Inhalation:	Upon prolonged and/or repeated exposure, no hazard in normal industrial use.
Skin Contact:	Unlikely to cause irritation even on repeated contact.
Skin Absorption:	Upon prolonged or repeated exposure, no hazard in normal industrial use.

#### **Component Toxicology Data**

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

### Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

## 12. Ecological information

Ecotoxicity (aquatic and

This material is not expected to be harmful to the ecology.

terrestrial, where available):	
Persistence and degradability:	No data available
Mobility in soil:	No data available
Other adverse effects (such as	No data available
hazardous to the ozone layer):	

#### Données sur l'écotoxicité

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

#### 13. Disposal considerations

Description of waste residues:Spent or discarded material is a hazardous waste.Waste treatment methodsDispose of by incineration following Federal, State, Local, or(including packaging):Provincial regulations.Waste Disposal Code(s):D001

### Product Name: Max Vinyl Dressing Product identifier: 32-5 Revision Date: 06/01/2016 Replaces:

### 14. Transport information

UN number:	No data available
UN proper shipping name: Not Regulated	
Transport hazard class(es):	No data available
Packing group:	No data available

The shipper is responsible for following all applicable regulations.

15. Regulatory information	

Statut TSCA:

All components in this product are on the TSCA Inventory.

#### **Regulated Components:**

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

16. Other information, including date of preparation or last revision.		
Revision Date: Revision Number:	12-14-2015 8	

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances